Chief, DD/P Systems Group

15 June 1962

CIA Records Administration Officer

Disposition of DD/P Files in Records Center

- 1. A critical storage space problem is confronting the Records Center. This problem is caused by the growing volume of records retired to the Center for indefinite retention. More than 18,000 cubic feet of records have now been transferred to the Center by DD/P, and 90% of these have no definite disposal instructions. I understand that a significant percentage of these records has been microfilmed. Usually paper records are destroyed after being microfilmed.
- 2. Two specific examples of records in the Center requiring definite disposal instructions are identified on the RID Records Control Schedule as follows:
 - a. Reference Branch Archives Section Item 11., "Inactive Records, CIA" approximately 8,000 cu. ft.
 - b. Reference Branch Files Section Item 5., "CS Records System Files" approximately 3,000 cu. ft.
- 3. Action is needed now to reduce the volume of such holdings and provide space for future Agency needs. I will appreciate you advising me when we can dispose of these records. If I can be of assistance in determining this disposition date, please let me know.



25X1

Approved For Release 2009/01/16 : CIA-RDP70-00211R000800300021-6 SECRET

| | 2000 1 | i |
|---------|--|--------|
| | Discussed with the second of t | 25X1 |
| | this menu. He sproved of Uto origotive in this ware ame regressive to the | |
| | Chief, DD/P Systems Group Regest of the amospie specifical seeds 362 | |
| 0EV4 | the state of the s | |
| 25X1 | Deals on a set of the liberty of the control of the set of the set of the control | İ |
| | SIA RECOLDS ADMINISTRATION - INCLUDED TO DECEMBER | : |
| 1723.81 | Di ber - 1562 - visico seconer Center con sovised es ca dianto | 25X1 |
| | Disposition of MAP Files in Records Wester of Herby Sale wolf | i : |
| | oven though west of her ere en nieronillo, erer is e, megnetic tage | |
| | and one is the seimet property. We trought possibly 2 pears ofter rainer | 1 |
| | 0%. «បានបំពេញខណ្ឌៈ ស្លានិយា ង ខាស់ ស្លាស់ | : |
| | 1. A critical storage space problem is confronting the | : |
| | at Records Center a Mits problem is caused by the growing volume | ! |
| | of records retired to the Center for indefinite retention. More than 18,000 cubic feet of records have now been trans- | |
| | ferred to the Center by DO/F; and 90% of these have no definite | |
| | diapose linstructions of Landerstand that a significant per- | |
| | centage of these records has been microfilmed. Usually paper | |
| | records are destroyed after being microfilmed. | |
| 25X1 | V/Lo, 33 -insecassed the averagined with | |
| | and the first the speciment of the first of the features of | : |
| | cuseons requiring definite disposal instructions are identifications. | |
| | the RID Records Control Schedule as follows: | 25X1 |
| | W. Camana Branch Smiller Continue Them 13 | • |
| | "Inactive Records, CIA" - approximately 8,000 cu. ft. | 1 |
| | inscorve wecords, orw - approximatery o,000 cu. iv. | |
| | b. Reference Branch - Files Section - Item 5., | 1 |
| | "CS Records System Files" - approximately 3,000 cu. ft. | |
| | | |
| | Action is needed now to reduce the volume of such | 1 |
| | holdings and provide space for future Agency needs. I will | |
| | appreciate you advising me when we can dispose of these records. | |
| | If I can be of assistance in determining this disposition date, | 1 |
| | please let me know. | i |
| | | |
| | /s/ | |
| | / 5/ | : |
| | | 25X1 |

Approved For Release 2009/01/16: CIA-RDP70-00211R000800300021-6

| 25X1 | Discussed with EA/DDS on 6/20/62 & left him copy of this memo. He approved of the objective in this memo and suggested that we wait about 2 qeeks for a response. ICC |
|--------------|--|
| | Have made follow-up with DDP periodically - He has promised 25X1 action on each occasion. |
| 25X1 | In Sep - 1962, visited Records Center and advised me he didn't know for sure when DDP would agree to destroy records outlined in this memo - even though most of hem are on microfilm, paper tape, magnetic tape and one in the Walnut project. He thought possibly 2 years after Walnut System was fully operative. IGC |
| 25X1 25X1 | 1/9/63 - Called Says no action but will call this to |
| 25X1 | 3/14/63 - Called Says no action yet. Says he will try to get an answer to us soon; possibly in a week he will have a a partial answer for us. |
| | 8/13/63 -Discussed the attached with He did not want 25X1 to take any action and said that this is a matter which should be |
| 25X1 | handled by his successor, who succeeded 25X1 |